

## About WOONGJIN COWAY

Made with Coway's exceptional core technology, our highly competitive products are popular in more than 60 countries around the world. As the world's largest specialist in water filtration devices and leading edge household well-being electronics, we have developed a product line that meets the diversified needs of global consumers through relentless research in environment-friendly products across a broad range of categories.



We Bring Wellness  
**Coway**



# COWAY DIGITAL BIDET

## PRODUCT COLLECTION 2009

Increasingly recognized as a world leader in innovative household health / lifestyle technology, Coway's awards and special recognitions continue to accumulate.

### AWARDS



### CERTIFICATES



WOONGJIN HEAD OFFICE [www.coway.com](http://www.coway.com)

Add 10F, Naewei Bldg., 6 Euljiro 2-Ga, Jung Gu, Seoul, Korea (100-844) Tel 82-2-2172-3650, Fax 82-2-2172-3996


V.2.1



## RELAXING. REFRESHING. REVITALIZING- COWAY DIGITAL BIDET

Forward-looking technology in an elegant, sophisticated design to add that extra measure of energy and health to modern life.

### Essential personal hygiene in every life



Woman

Thoroughly cleaning heat and refreshing coolness provide the perfect solution for the modern woman's personal concerns.



Man

The synergistic effectiveness of hot water combined with hot air both helps to protect sensitive areas against disease and ease recovery from any existing conditions.



Senior

For the elderly and otherwise infection prone, this hygienic advance offers the additional assurance of a healthy life.



Child

The gentle hot water cleansing and enjoyable massage effect encourage healthy, regular and clean toilet habits in children.

### The Benefits of the Bidet

#### Maximum Cleanliness

As thorough as a full cleansing but limited to the one sensitive region. It is not only more comfortable than tissue, but it cleans more completely by affecting areas that might be passed over by tissue due to personal anatomical features such as wrinkles.

#### Heightened Defense against Bacteria

Minute areas within skin folds that frequently go untouched by tissue cleaning can provide an ideal propagation area for bacteria. The bidet can reach all such areas and removes the potential threat to health.

#### Defense Against Other Common Diseases


Bathrooms typically house numerous parasitic and bacterial threats to urinary and lower gastro-intestinal tract health. Only the thorough cleansing provided by bidet technology can ensure these threats have no opportunity to become real.

#### Massage Function

The warm water - warm air cleaning, when combined with the massage not only produce a pleasant relaxing sensation, but stimulate circulation, capillary growth and health, for helping to relieve such conditions as hemorrhoids and constipation.

# Coway Digital Bidet System

The tissue-free, hands-free alternative for more complete and pleasant cleaning.



## Multi-way valve system

This model has three new innovations - Air<sup>+</sup> Water Stream, Self-Cleaning Nozzle, 3 Step Flow Width Control.



## 3 step flow width control

You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

**Instant heating system** ensures that warm water is instantly available before using the bidet. (BA11, BA13 only)

**Automatic deodorization** removes unpleasant odors leaving air smelling fresh and clean (BA13 only).

**Sterilization** Silver oxide nano particle treatment system has powerful anti-fungal & anti-bacterial properties to keep the nozzle clean and corrosion free for longer nozzle life (BA13 only).

**Mesh Filter** filters any particulate matter contained in inflowing water (BA13 only).

**Dry control** After the cleansing is complete, the temperature-adjustable dry air guarantees a refreshing finish.

**Heated seat** The temperature control device maintains comfort for your hips.

**Twin stainless nozzles** for enhanced hygiene and more accurate individual use (BA13 only).

**Air<sup>+</sup> Water Stream**  
The addition of bubbles to the water stream not only creates a gentler, softer cleaning action for sensitive skin but reduces water consumption.

# BA13

The cleaner way - Coway Premium Bidet


## Long term, effortless use with the twin Stainless Nozzle.

The hardened stainless nozzle resists soiling thereby reducing or eliminating bacterial growth. It's easy-to-clean, semi-permanent nature means less time or effort with replacement. The twin nozzle configuration ensures accurate coverage for all users.




## Deodorization is automatically activated

Deodorization is automatically activated when the unit is used thereby ensuring that any foul odors are thoroughly removed and leaving both you and your restroom feeling and smelling fresh and clean (BA13-B only).



## Sterilization

Silver oxide nano particle treatment system has powerful anti-fungal & anti-bacterial properties to keep the nozzle clean and corrosion free for longer nozzle life (BA13-B only).



## Cutting-edge Instant heating system

By way of the safety protected, super thermal conductivity, ceramic heater, warm water is instantly created and available at the push of a button at any time - all while being more energy efficient.



2009 red dot design award

### Stainless Steel Nozzle

- The hardened, smooth stainless steel prevents build up of foreign matter and bacterial contamination for assured hygiene.

### Energy efficiency

- The instant hot water system reduces power consumption by 60% versus conventional storage tank systems.

### Triple Short-circuit Cut-off Protection

- The three part sensor system - temperature, bimetallic, and temperature fuse - ensures safety by shutting off equipment in potentially hazardous conditions.

### Mesh Filter

- This initial stage pre-cleans incoming water, removing particulate matter.

### 3 step flow width control

- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

### Air<sup>+</sup> Water stream

- Air pump injects bubbles into the water stream for a softer, gentler feel.

### Twin Nozzles

- Twin nozzles for enhanced hygiene and more accurate individual use.

### Remote Control Convenience

- All functions are managed from an easy to use, intuitive remote control.

MODEL	BA13-A/B	
Operating Time	Rear Cleansing	1 minute Maximum 0.13gal / min (0.5l / min), Self-cleansing nozzle
	Bidet	1 minute Maximum 0.13gal / min (0.5l / min), Self-cleansing nozzle
Seat Temperature	Off	Room Temperature
	On	Low : 87.8°F (31°C) Medium : 93.2°F (34°C) High : 98.6°F (37°C)
Warm Air Dryer	Temperature Control	3 Levels
	Operating Time	2 minutes
Filter	Mesh Type (Optional MF filter)	
Power Consumption	1,200W (Max.)	
Operating Noise	37.0 - 48.0dB	
Dimension (W X H X D)	[BA13-AR/BR] 15.7 X 19.4 X 5.7 inch / 399 X 493 X 144 mm [BA13-AE/BE] 15.7 X 20.8 X 5.7 inch / 399 X 528 X 144 mm	
Net Weight	13.2-14.3lb (6.0-6.5kg)	

\* Specifications are subject to change without prior notice. \* R: Round type/ E: Elongate type.



# BA11

Build in Mp3



**One-touch automatic open and close system**  
- By using the one-touch button on the top of the remote control, user can open and close the toilet seat.

**Body Sensor**  
- If a human body hasn't been near the bidet for three minutes the seat will automatically close.

**Memory Control**  
- The bidet can remember specific users' settings such as water pressure, temperature, and nozzle location. These settings are easily activated with a single touch.

**Instant heating system**  
- The instant heating system provides ready water at your choice of a range of temperatures. The instant hot water system has six temperature levels. [Off/30°C/32°C/34°C/36°C/38°C]

**Energy Efficiency Innovation**  
- The instant hot water system reduces power consumption by 60% versus conventional storage tank systems. Also power consumption has been minimized to one Watt in standby mode.

**Mp3 player (BA11-B only)**  
- A removable 1Gb Mp3 allows you to listen to music while performing any restroom routine.

**3 step flow width control**  
- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

**Air\* water stream**  
- An air pump injects bubbles to create a softer, gentler water stream.

MODEL	BA11-A/B	
Operating Time	Rear Cleansing	1 minute Maximum 0.16gal / min (0.6l / min) self-cleansing nozzle
	Bidet	1 minute Maximum 0.16gal / min (0.6l / min) self-cleansing nozzle
Seat Temperature	Off	Room temperature
	On	1 level : 86°F (30°C) 2 level : 89.6°F (32°C) 3 level : 93.2°F (34°C) 4 level : 96.8°F (36°C) 5 level : 100.4°F (38°C)
Warm Air Dryer	Temperature Control	4 Levels
	Operating Time	2 minutes
MF Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5NTU of turbidity)
	Dimension	(L) 120 mm X (W) 48mm
Power Consumption	1,130W (Max.)	
Operating Noise	37.0 ~ 48.0dB	
Dimension (W X H X D)	16.6 X 6.02 X 20.9 inch 422 X 153 X 531 mm	
Net Weight	11.5lb (5.2kg)	

\* Specifications are subject to change without prior notice.



# BA07

Practical bidet featuring with control panel



**Nano silver ceramic MF Filter**  
- Nano silver balls ensure water cleanliness.

**3 step flow width control**  
- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

**Self cleaning nozzle**  
- After use, the nozzle automatically creates a spray to ensure it is clean before shutting down.

**Twin nozzles**  
- Twin nozzles for enhanced hygiene and more accurate individual use.

**Nozzle movement**  
- Optimized movement of 5 level nozzle position suits users individual needs.

**Anti bacterial parts**  
- Anti-bacterial plastic nozzle and nozzle tip.

**Personal control of seat temperature, water temperature and water pressure.**

MODEL	BA07-A	
Operating Time	Rear Cleansing	1 minute Maximum 0.2gal / min (0.7l / min), Self-cleansing nozzle
	Bidet	1 minute Maximum 0.2gal / min (0.7l / min), Self-cleansing nozzle
Seat Temperature	Off	Room Temperature: 68°F (20° C)
	On	Low : 93.2°F (34°C) Medium : 96.8°F (37°C) High : 100.4°F (40°C)
Warm Air Dryer	Temperature Control	3 Levels
	Operating Time	2 minutes
MF Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5NTU of turbidity)
	Dimension	(L) 136 mm X (W) 48 mm
Power Consumption	850 W (Max.)	
Operating Noise	37.0 ~ 48.0 dB	
Dimension (W X H X D)	[BA07-R] 19.3 X 5.9 X 20.1 inch / 490 X 150 X 510 mm [BA07-E] 19.3 X 5.9 X 21.3 inch / 490 X 150 X 540 mm	
Net Weight	12.6 lb (5.7 kg)	

\* Specifications are subject to change without prior notice. \* R: Round type/ E: Elongate type.



# BA08

Convenient bidet with detachable remote control



**Detachable Remote Control**  
- The advanced remote control allows placement on the left or right side. The remote control has bigger buttons for ease of use - especially with children and the elderly.

**Nano-silver ceramic MF Filter**  
- Nano silver balls ensure water cleanliness.

**3 step flow width control**  
- You can personally control the cleaning flow spread from strong concentrated current to softly spread current.

**Self cleaning nozzle**  
- After use, the nozzle automatically creates a spray to ensure it is clean before shutting down.

**Twin nozzles**  
- Twin nozzles for enhanced hygiene and more accurate individual use.

**Nozzle movement**  
- Optimized movement of 5 level nozzle position suits users individual needs.

**Anti-bacterial material**  
- Anti-bacterial plastic, nozzle, nozzle-tip.

**Personal control of seat temperature, water temperature and water pressure.**

**Air\* water stream**  
- An air pump injects bubbles to create a softer, gentler water stream.

MODEL	BA08-A	
Operating Time	Rear Cleansing	1 minute Maximum 0.2gal / min(0.7l / min), Self-cleansing nozzle
	Bidet	1 minute Maximum 0.2gal / min(0.7l / min), Self-cleansing nozzle
Seat temperature	Off	Room Temperature: 68°F (20° C)
	On	Low : 93.2°F (34°C) Medium : 98.6°F (37°C) High : 104.0°F (40°C)
Warm Air Dryer	Temperature Control	3 Levels
	Operating Time	2 minutes
MF Filter	Life Cycle	4 months (2.5tons / month, for under 0.5NTU of turbidity)
	Dimension	(L) 136 mm X (W) 48 mm
Power Consumption	850W (Max.)	
Operating Noise	37.0 ~ 48.0dB	
Dimension (W X H X D)	[BA08-AR] 20.7 X 5.6 X 19.7 inch / 525 X 142 X 500 mm [BA08-AE] 20.7 X 5.6 X 20.9 inch / 525 X 142 X 530 mm	
Net Weight	12.6lb (5.7kg)	

\* Specifications are subject to change without prior notice. \* R: Round type/ E: Elongate type.



## Non-Electric Bidet System

# BA12

Economical bidet with No Electric wiring : Operated by water pressure



White Black

**Motorless Bidet**  
- Economical bidet operated by water pressure so it doesn't require electricity. It is very functional and environmentally friendly.

**Nano silver ceramic MF Filter**  
- Nano silver balls ensure water cleanliness.

**Self cleaning nozzle**  
- After use, the nozzle automatically creates a spray to ensure it is clean before shutting down.

**Twin nozzles**  
- Twin nozzles for enhanced hygiene and more accurate individual use.

**Anti bacterial parts**  
- Anti-bacterial plastic nozzle and nozzle tip.

**Ergonomic design & Convenient jog-dial controller**  
Control valve: Ceramic disk without electronic power.

**Control panel:** Washing, Bidet, Nozzle self-cleaning, Water flow control (Knob type).  
-Compatible with most toilets on most toilets  
-Uses water pressure only, eliminating need for electricity and reducing operating costs.  
-Simple installation  
-Attractively designed  
-Space saving

MODEL	BA12	
Operating Time	Rear Cleansing	1 minutes Maximum 0.3gal / min (1.2l / min) Self-cleansing nozzle
	Bidet	1 minutes Maximum 0.3gal / min (1.2l / min) Self-cleansing nozzle
Bubble Wash	Maximum 0.3gal / min (1.2l / min), Self-cleansing nozzle	
MF Filter	Life Cycle	4 months (2.5 tons / month, for under 0.5 NTU of turbidity)
	Dimension	(L) 136 mm X (W) 48 mm
Power Consumption	No electric power required	
Operating Noise	37.0 ~ 48.0dB	
Dimension (W X H X D)	18.3 X 6.1 X 20.4 inch 464 X 156 X 518 mm	
Net Weight	5.1lb (2.3kg)	

\* Specifications are subject to change without prior notice.

